



Cycleway Sheme Extents
SCALE: 1:1250 @ A1

Viewport 2
(See below)

Viewport 1
(See below)

Viewport 3
(See below)

Scaled View of Viewport 1
SCALE: 1:300 @ A1

Scaled View of Viewport 2
SCALE: 1:500 @ A1

Scaled View of Viewport 3
SCALE: 1:250 @ A1

- NOTES:-
1. All dimensions must be checked on site and not scaled from this drawing.
 2. The Contractor shall make a survey of the site and shall be responsible for obtaining all dimensions and levels necessary for the proper fabrication of the structure as indicated.
 3. This drawing is to be read in conjunction with 28917/100 Series Drawings.

LTN 1/20 Table 6/3 Up to 300 cyclists per hour shared use minimum width 3.0m

LTN 1/20 Table 5-2 Up to 300 cyclists per hour Two way track 3.0m

- 1.5m pedestrian footpath (segregation by white line)
- 2.0m Two way track (segregation by white line)
- 3.0m Two way track fully segregated from footpath
- 2.0m Cycle Lane

Rev	Date	Description	DR	CH
© copyright				
 				
 CONSULTING ENGINEERS PROJECT MANAGEMENT				
2 Hallam Road Priory Park East HULL HU4 7DY United Kingdom				
Telephone(+44) 01482 627963 Fax (+44) 01482 641736 Email info@ggpconsult.co.uk				

Client
Ryedale Cycle Forum

Job Title
Proposed Cycleway
Projects in Ryedale
Kirkbymoorside

Drawing Title
Proposed Route

Status APPROVAL			
Scale Varies		Date 10/02/21	
Drawn By J.Ø		Checked JR	Approved JHC
Dwg. No. 28917/001		Rev A	