



# **QUOTATION**

Date: 17-03-2025

Quotation Ref: Q 4341

### Customer

FAO: Lisa Bolland

Kirkbymoorside Town Council

Church House

7 High Market Place

Kirkbymoorside North York

YO62 6AT

### Sales

This quotation prepared by:

Danny Harsley 07971 233 902

For sales queries please email: **sales@vpuk.com**For an order please email: **orders@vpuk.com** 

# **Description**

Supply & install multiple HD IP Fixed CCTV cameras at multiple agreed locations within Kirkbymoorside. Option 1 to include for 12 x Cameras at 5 key locations

- 12 x FIXED Lens HD IP IR CCTV Cameras at 4 Key locations as highlighted above.
- Independent 60GHZ Point to Point wireless transmission.
- NYC Lighting columns to be utilised as discussed, lighting column IDs supplied, note all highlighted columns have a required commando socket in place.
- Local recording at 1 location within Kirbymoorside Library.
- Remote access to system for monitoring & playback from Scarborough to be configured.
- Local High speed broadband connection to be supplied by Kirbymoorside as discussed.

NYC Lighting column IDs to be utilised as part of this solution-

- 5 Piercy End
- 6 Piercy End
- 9 Piercy End
- 11/12 Market Place
- 15 Market Place

Item	Description	Part No.	Qty
1	Bullet 5MP AI 2.7-13.5mm	DH-IPC-HFW5541E-ZE-ATC-S3	12
2	IP66 JB	DH-PFA121	12
3	Pole mount Bracket	DH-PFA152-E	12
4	MikroTik 60GHZ P2P Wireless	MT-CUBEG-5AC60AD-PAIR	5
5	S4210-8GT-110 8 PORT GIGABIT POE+ SWITCH, MAX 110W	S4210-8GT-110 8 PORT GIGABIT POE+ SWITCH, MAX 110W	5
6	IP66 JB	DH-PFA6400S	5
7	Pole mount Bracket	DH-PFA150	5













Item	Description	Part No.	Qty				
8	NVR5432-EI-8T 32CH WIZSENSE AI NVR, 1.5U, 8TB	NVR5432-EI-8T 32CH WIZSENSE AI NVR, 1.5U, 8TB	1				
9	Wall mount lockable NVR Cabinet	Wall mount lockable NVR Cabinet	1				
10	Mikrotik Security Router for internet security	Mikrotik Security Router for internet security	1				
11	Engineer Team of 2 per Day	VEngDay_2	3				
12	Cherry Picker per Day	Cherry_N02	3				
13	Cables, connections & fixings	SUNDRIES	17				
We trust the information provided is clear, sufficient and meets your requirements. For further clarification please contact the person named above or any member of our sales staff. All prices shown in							
this qu	uote exclude VAT, which will be charged at the iling rate. Please refer to all the other sections, including the Notes section, which contains	TOTAL	£14,313.62				
1	tant information.	All prices exclude VAT					













### Commercial In Confidence

This Quotation is supplied as a 'Commercial In Confidence' document as it contains commercially sensitive information. As such, this document is solely for the use of the named Customer and is not for disclosure to third parties, without express written permission by Videcom Security Limited.

### Terms

Actual cost may change once all project elements are finalised, this quotation and pricing is valid for 30 days from date of issue and subject to our Quotation Terms And Conditions Of Sale and our Standard Terms and Conditions of Sale (please refer to the link below), excepting any previously agreed separate contractual or tender terms.

Once an order is placed, we will need to expedite the procurement of equipment to ensure availability at the quoted price. Should you require an installation delay of more than 60 days from the date of order, we will require you to either a) purchase and take ownership of the equipment or b) accept the risk of equipment changes, including price. If option a) is chosen we can arrange storage at either your premises, our stores or at the supplier stores.

www.videcomsecurity.co.uk/pubs/Videcom Quotation And Terms And Conditions Of Sale.pdf

Part Numbers or equipment models quoted may be superseded by manufacturers or suppliers, where a newer model becomes available we may substitute this model providing that it delivers at least the same specification as the equipment initially quoted. Where there may be a reduction in the specifications we will seek clarification and acceptance before proceeding.

VAT will be charged at the prevailing rates on the date of invoice. New customers that are VAT exempt need to notify us at time of placing their order.

#### **Data Protection**

Your attention is drawn to the CCTV data protection legislation (Data protection Act 1998), which applies to commercial and public CCTV systems, and is enforceable where a CCTV system obtains, records, or stores personal data in the form of video images. Please refer to <a href="widecomsecurity.co.uk/support7.php">widecomsecurity.co.uk/support7.php</a> for more details.

### WEEE

The amount of waste electrical and electronic equipment (widely known as WEEE or e-waste) generated every year is increasing rapidly. Videcom use specialised waste disposal companies that are licensed and accredited by the UK Environment Agency.

Unless specifically addressed in this Quotation, with a line item identifying the costs, no allowance has been made to take any old equipment away from site and that this will be left with the customer. If Videcom are required to provide disposal of old equipment we reserve the right to make charges for provision of this service.

Please refer to videcomsecurity.co.uk/support9.php for more details.













# Health & Safety Training

Unless specified otherwise, all Videcom Quotations exclude additional costs associated with any site specific health and safety training that may be required due to specific site risks not identified at time of survey or enquiry. Videcom retain the right to raise additional charges in lieu of these costs. All customers are required to provide an Asbestos Register and any other relevant health and safety site information.

#### **Notes**

All NYC column permissions and required 240v PSU are to be supplied by customer. Highspeed broadband connection to be supplied by customer.

# **Cameras Lighting & Energy**

#### Lighting:

Where cameras have been quoted for, unless otherwise stated, these will be colour/mono with built in Infra-Red or additional white lighting and auto sensing depending on lighting conditions.

Modern IP CCTV cameras will work in very low lighting levels typically 0.002/0.0002 Lux\* colour/mono @ F1.4; Although for good quality video we recommend at least 3.0 lux, preferably white light. \* Lux measured at the camera.

We recommend after installation that customers evaluate that their CCTV night-time performance is adequate taking into account any site lighting and operational requirements and if necessary review additional ambient site lighting or request an engineer to assess the camera performance and make further recommendations.

For further information please refer to videcomsecurity.co.uk/library.php or contact Videcom Sales.

# **Energy Consumption:**

You can estimate the annual energy consumption of your camera(s) using our calculator.

### **Digital Video Recording Storage**

Unless otherwise stated, recording systems will be designed to last 31 days, engineers will check compliance during service visits. During quotation we estimate storage, allowing spare capacity. When additional cameras are added to the system the storage retention period may be affected. We recommend the retention period is checked regularly to ensure it meets you requirements.

Depending on your CCTV solution, we can offer the additional service of 24/7 Automated CCTV Maintenance Checks to remotely monitor your system, which allows for real time updates on camera and recording status to our engineers. This service is available for Dahua recording equipment at an additional charge.

Please refer to the 'Quoted Cameras' section at the end of this document (if included) for the estimated additional storage requirements.

For further information please refer to videcomsecurity.co.uk/support6.php or contact Videcom Sales.













# Hard Disk Drives (HDD) Lifetime

Hard Disk Drives (HDDs) are consumable items and typically last 3 to 5 years, but this can vary depending on how they're used and cared for. HDDs are more likely to fail than solid-state drives (SSDs) because they have many moving parts.

Unless otherwise stated, we recommend all Hard Disk Drives are replaced regularly with a maximum working age of 5 years.

As part of our routine maintenance service visits, we will check for HDD age and advise replacements as necessary.

### Maintenance

We know from experience that all Systems benefit from being maintained, providing better performance and overall longer life and with most of our new systems being digital, we can offer highly skilled support that will ensure correct operation with security and privacy regulations in mind.

We have included our standard Silver level support in this quotation, with a 50% introductory discount - for the first 12 months of operation.

Your support will automatically continue for Year 2 and onwards, unless you write to us advising of your wish to cancel. The cost for continuation will be £1,101.05 per annum, which we will confirm with a renewal notice sent at least 30 days before the end of the contract period.

Please note that the Maintenance Charge may be adjusted in future contract renewal notices, to cover any changes in the service provided, expansion of the system or inflation in line with the ONS RPIX.

Please refer to videcomsecurity.co.uk/support4.php for more details.

Alternatively, should you wish a different support package please contact your Videcom Sales contact shown at the top of this quote.













	Q 4341 Quoted Cameras: Specifications & DORI Distances																
Item	Location	Purpose	Manuf	PartNo	Description	Light	H Res (px)	Wide Hfov (deg)	Tele Hfov (deg)	Compression	Mount	Stream (Mbps)	Disk per Day (GB)	D Wide Tele (m)	O Wide Tele (m)	R Wide Tele (m)	I Wide Tele (m)
Cam 1			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 10			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 11			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 12			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 2			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 3			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 4			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 5			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 6			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 7			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 8			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21
Cam 9			Dahua	DH-IPC-HFW5541E-ZE-ATC-S3	Bullet 5MP AI 2.7-13.5mm	IR	2960	114.0	32.0	H.264/H.265	Pole external	2.5	28.5	59 212	24 85	12 42	6 21













	<u> </u>		
Item Location Purpose Manuf PartNo Description Light Res Hov (ny) (deg) (deg) Compression Mount Stream (Mbps) Day Te	Wide Wide Tele (m) (m)	Vide Wide Tele Te	ele Tele

Note: The DORI distance is a 'general proximity' of distance which makes it easy to pinpoint the right camera for your needs. The DORI distance is calculated by the manufacturer, based on sensor specification and lab test result according to EN 62676-4 which defines the criteria for **D**etect, **O**bserve, **R**ecognize and **I**dentify.

**Estimated Additional Storage Requirements** 

Additional Storage for 14 Days = 4.7 TB

Additional Storage for 31 Days = 10.4 TB









